



FEATURES

WITH THE LATEST COIN RETURN LEVER TO ELIMINATE BUTTON JAMMING LIKE ON OLDER MODELS

FEATURES:

- * EASY REMOVAL OF THE COOLING UNIT FOR MAINTENANCE OR REPAIRS (UNIT COMES OUT FROM THE FRONT)
- * HAS THE MOST USER FRIENDLY INTERFACE (FOR EASY PROGRAMMING & CHANGING SETTINGS) PRICING ETC
- * DEX PROTOCOL FOR TELEMETRY AND CASHLESS PAYMENT SYSTEMS (PAYPASS ,ANDROID PAY ,TAP N GO , ETC)

*** DROP SENSOR SYSTEM FOR GUARANTEED DELIVERY OR MONEY RETURNED
AUTOMATICALLY**

*** 90 DEGREE DOOR OPENING FOR EASIER REFILLING**

*** LED LIGHTING (SUPER BRIGHT)**

*** EASY SPIRAL ADJUSTING JUST PULL & TWIST (NO NEED TO REMOVE TRAY)**

*** ATM STYLE KEYPAD FOR STRENGTH AND RELIABILITY**

*** ADJUSTABLE SHELVING TO SUIT YOUR NEEDS AND PRODUCTS**

TCN
CLOUD

Cloud Service



We support

Bill acceptor
We support



Cashless
We support



Coin Changer
We support



Flexible Configuration

Chips per tray capacity per selection	 ×7 ×7 ×7 ×7 ×7
Cookies per tray capacity per selection	 ×6 ×6 ×6 ×6 ×6
Pastries per tray capacity per selection	 ×11 ×11 ×11 ×11 ×11
Chocolate per tray capacity per selection	 ×15 ×15 ×15 ×15 ×15
Bottle drink per tray capacity per selection	 ×5 ×5 ×5 ×5 ×5
Can per tray capacity per selection	 ×5 ×5 ×5 ×5 ×5

1 2 3 4 5 6 7 8 9 10


Setting spiral coils & goods trays up to your products.







Dimension



SPECIFICATIONS

high-capacity vending machines

Dex port available

Front Glass Vending machine with cooling

Bill, Coin, Coin Dispenser (MDB Protocol)

Drop sensor system, guarantee delivery

Standard helix configuration (various configurations available)

ITEMS	QUANTITY									
Chips	7		7		7		7		7	
Chips	7		7		7		7		7	
Chocolate	15	15	15	15	15	15	15	15	15	15
Bottles	5	5	5	5	5	5	5	5	5	5
Cans	5	5	5	5	5	5	5	5	5	5
Cans	5	5	5	5	5	5	5	5	5	5

DIMENSIONS

Model TCN-10G-GP	TCN-10G-GP(Drink Vending Machine)
Outside Dimensions	H: 1940mm, W: 790mm, D: 1036 mm
Weight	260kg
Kinds of Selling	40~60
Storage Capacity	About 300~800pcs(according to size of goods)
Cooling Function	Compressor refrigeration,4-25°C(adjustable)
Rated Voltage	100V/240V,60Hz/50Hz
Payment System	Bill,Coin,Coin Dispenser(MDB Protocol)
Power	375W